

# Phase II (Small) MS4 Annual Report Form

TPDES General Permit Number TXR040000

## A. General Information

Authorization Number: **TXR040355**

Reporting Year (year will be either 1, 2, 3, 4, or 5): **3**

Annual Reporting Year Option Selected by MS4:

Calendar Year: \_\_\_\_\_

Permit Year: **X**

Fiscal Year: \_\_\_\_\_ Last day of fiscal year: ()

Reporting period beginning date: (month/date/year) **1/24/2021**

Reporting period end date: (month/date/year) **1/23/2022**

MS4 Operator Level: **1** Name of MS4: **Town of Lakeside**

Contact Name: **James McDonald** Telephone Number: **(817)237-1234**

Mailing Address: **9830 Confederate Park Rd, Lakeside, TX 76108**

E-mail Address: **jmcdonald@lakesidetexas.us**

A copy of the annual report was submitted to the TCEQ Region: YES **X** NO \_\_\_\_\_

Region the annual report was submitted to: TCEQ Region **4**

## B. Status of Compliance with the MS4 GP and SWMP

1. Provide information on the status of complying with permit conditions:  
(TXR040000 Part IV.B.2)

	Yes	No	Explain
Permittee is currently in compliance with the SWMP as submitted to and approved by the TCEQ.	X		
Permittee is currently in compliance with recordkeeping and reporting requirements.	X		
Permittee meets the eligibility requirements of the permit (e.g., TMDL requirements, Edwards Aquifer limitations, compliance history, etc.).	X		
Permittee conducted an annual review of its SWMP in conjunction with preparation of the annual report	X		

2. Provide a general assessment of the appropriateness of the selected BMPs. You may use the table below to meet this requirement (**see Example 1 in instructions**):

MCM(s)	BMP	BMP is appropriate for reducing the discharge of pollutants in stormwater (Answer Yes or No and explain)
1	Public Education Material	Yes, the distribution of public education material helps educate the public on potential stormwater pollutants and provides the details on steps they can take to improve stormwater quality.
1	Education of Construction Site Personnel	Yes, education of construction site personnel helps bring awareness of pollutants associated with construction activities.

1	SWMP Posting	Yes, making the SWMP available helps educate the public on their local stormwater management program and the associated implementation schedule.
1	Annual Report Posting	Yes, making the Annual Report available helps educate the public on the implementation status of their local stormwater management program.
1	SWMP Review	Yes, reviewing the SWMP annually helps ensure any necessary updates to the SWMP are made.
1	Public Meetings	Yes, public meetings help educate the public about their local stormwater management programs and gives them an opportunity to participate.
1	Stormwater Hotline	Yes, stormwater hotlines provide citizens with a mechanism to report illicit discharges, illegal dumping, spills, etc.
1	SWMP Public Notice	Yes, the public notice process helps educate the public about their local stormwater management programs and gives them an opportunity to participate.
1	Stormwater Quality Webpage	Yes, the development of a stormwater quality webpage helps educate the public on potential stormwater pollutants and provides them details on steps they can take to improve stormwater quality.
1	Educational Material Distribution	Yes, the distribution of stormwater quality educational materials at local community organization meetings helps educate the public on potential pollutants and provides them with details on steps they can take to improve stormwater quality.
2	MS4 Outfall Map	Yes, developing and maintaining a MS4 outfall map makes the illicit discharge detection and elimination program more effective.

2	MS4 Outfall Inspections	Yes, inspecting MS4 outfalls helps identify and eliminate illicit discharges.
2	Regulatory Mechanisms	Yes, having regulatory mechanisms/procedures in place helps encourage individuals to comply with stormwater quality regulations.
2	MS4 Field Staff Training	Yes, MS4 field staff training helps educate permittee employees on how to properly identify and eliminate stormwater pollutants.
2	IDDE Procedures	Yes, the development and implementation of IDDE procedures makes the Illicit Discharge program more effective.
2	Public Reporting	Yes, providing the public with instructions on how to properly report potential stormwater quality concerns helps identify and eliminate illicit discharges more effectively.
3	Construction Site Plan Review	Yes, reviewing construction site plans for the inclusion of appropriate structural controls helps reduce the amount of pollutants being discharged from construction sites.
3	Plan Review, Inspection, and Enforcement Procedures	Yes, developing standard operating procedures that address plan review, inspections, and enforcement actions related to permittee owned construction sites helps reduce the amount of pollutants being discharged to the MS4.
3	Construction Site Inspection/Enforcement	Yes, inspecting construction sites for proper installation/maintenance of structural controls helps reduce the amount of pollutants being discharged to the MS4.
3	Regulatory Mechanisms	Yes, having regulatory mechanisms/procedures in place helps encourage individuals to comply with stormwater quality regulations.

3	Public Reporting	Yes, providing the public with instructions on how to properly report potential stormwater quality concerns helps reduce the amount of pollutants being discharged from construction activities.
3	MS4 Staff Training	Yes, MS4 staff training helps educate permittee employees on how to properly identify and eliminate stormwater pollutants.
4	Development Project Plan Review	Yes, reviewing development plans for the inclusion of appropriate post construction controls helps reduce the amount of pollutants being discharged to the MS4.
4	Regulatory Mechanisms	Yes, having regulatory mechanisms/procedures in place helps encourage individuals to comply with stormwater quality regulations.
4	Post Construction Control Inspections	Yes, inspecting permittee owned permanent structural controls helps reduce the amount of pollutants being discharged to the MS4.
4	Post Construction Procedures	Yes, developing standard operating procedures that address documentation of enforcement actions and long-term operation/maintenance of post construction stormwater control measures helps reduce the amount of pollutants being discharged to the MS4.
5	MS4 Facility Inventory	Yes, developing an inventory of permittee owned facilities within the urbanized area helps identify potential sources of stormwater pollution.
5	Employee Training Program	Yes, conducting employee training helps educate permittee employees on how to properly identify and eliminate stormwater pollutants.
5	Waste Disposal Procedures	Yes, development of standard operating procedures on the proper disposal of waste helps reduce the amount of floatables and other pollutants being discharged to the storm sewer system.
5	Contractor Oversight Procedures	Yes, the development and implementation of contractor oversight procedures helps reduce the amount of pollutants being discharged by contractors performing maintenance activities on behalf of the permittee.

5	Operation and Maintenance Activities	Yes, maintaining a general pollution prevention plan at each permittee owned facility helps ensure that appropriate BMPs are being implemented to reduce the amount of pollutants being discharged.
5	Facility Inspections	Yes, inspecting permittee owned facilities helps ensure that appropriate BMPs are being implemented to reduce the amount of pollutants being discharged.
5	Litter/Garbage Collection	Yes, conducting litter/garbage collection helps reduce the amount of floatables being discharged to the storm sewer system.
5	Municipal Operation Procedures	Yes, developing standard operating procedures for inspecting/maintaining structural controls at municipal facilities and for employee training helps make permittee employees more aware of pollutants of concern that could be discharged to the storm sewer system.

3. Describe progress towards achieving the goal of reducing the discharge of pollutants to the MEP. If no progress was made or the BMP did not result in a reduction in pollutants, provide an explanation. Use the table below to meet this requirement (**see Example 2 in instructions**):

MCM	BMP	Information Used	Quantity	Units	Does the BMP Demonstrate a Direct Reduction in Pollutants? (Answer Yes or No and explain)
1	Public Education Material	number of materials developed and/or posted	40 stormwater quality brochures, 40 pet waste brochures	materials	No, while the BMP does not result in a direct reduction in pollution, public education is expected to indirectly reduce pollutants by increasing awareness about stormwater quality issues.

1	Education of Construction Site Personnel	number of educational materials or guidance documents posted on the stormwater webpage	1 guidance document/ 40 stormwater quality brochures/ stormwater website	materials	No, while the BMP does not result in a direct reduction in pollution, public education is expected to indirectly reduce pollutants by increasing awareness about stormwater quality issues.
1	SWMP Posting	stormwater quality website with SWMP posted	SWMP made available on stormwater quality website	location	No, while the BMP does not result in a direct reduction in pollution, public education is expected to indirectly reduce pollutants by increasing awareness about stormwater quality issues.
1	Stormwater Hotline	number of phone calls received regarding stormwater quality issues	0	phone calls	Yes, receiving and responding to phone calls concerning illicit discharges allows the permittee to make appropriate corrections to the storm sewer system.
1	Education Material Distribution	number of requests made by local community organizations and amount of material provided	0	request made	No, while the BMP does not result in a direct reduction in pollution, public education is expected to indirectly reduce pollutants by increasing awareness about stormwater quality issues.
2	MS4 Outfall Inspections	percentage of outfalls inspected	21% of the total outfalls were inspected	percentage	Yes, locating and eliminating illicit discharges represents a direct reduction in pollutants.
2	Regulatory Mechanisms	number of enforcement actions	0	enforcement actions	Yes, implementation of local illicit discharge regulatory mechanisms represents a direct reduction in pollutants.

3	Construction Site Plan Review	number of plans reviewed and approved for construction	0	plans reviewed	Yes, reviewing construction plans the result in the disturbance of greater than or equal to one acre, or are part of a common plan of development or sale ensures that appropriate structural controls are being used to reduce pollution.
3	Construction Site Inspection/ Enforcement	number of inspections	0	inspections	Yes, inspecting construction sites ensures that appropriate controls are in place and functioning properly to reduce pollution.
3	Regulatory Mechanisms	number of enforcement actions	0	enforcement actions	Yes, implementation of local regulatory mechanisms represents a direct reduction in pollutants.
4	Development Project Plan Review	number of plans reviewed	0	plans	Yes, reviewing construction plans ensures that appropriate post construction controls are being used to reduce pollution.
4	Regulatory Mechanisms	number of enforcement actions	0	enforcement actions	Yes, implementation of local regulatory mechanisms represents a direct reduction in pollutants.
5	Litter/Garbage Collection	number of litter/garbage collections conducted and the estimated volume of litter/garbage collected	103 1,480.51	collection events tons	Yes, conducting litter/garbage collection reduces the amount of floatables and other stormwater pollutants.



4. Provide the measurable goals for each of the MCMs, and an evaluation of the success of the implementation of the measurable goals (**see Example 3 in instructions**):

<b>MCM(s)</b>	<b>Measurable Goal(s)</b>	<b>Explain progress toward goal or how goal was achieved. If goal was not accomplished, please explain.</b>
1	Develop or post on the stormwater webpage at least 1 type of material per year	Goal Met; developed 40 stormwater quality brochures and 40 pet waste brochures. Additionally, all materials are posted on the stormwater website.
1	Make available annually on stormwater webpage at least 1 guidance document or brochure on construction site runoff issues	Goal Met; 1 stormwater quality document was made available to construction site personnel.
1	Post a copy of the SWMP on the permittee's stormwater webpage no later than 30 days after the TCEQ approval date	Goal Met; SWMP posted on the City's stormwater website at <a href="http://www.txms4.com/lakeside">www.txms4.com/lakeside</a> .
1	Annually post a copy of the most recent annual report on the stormwater webpage no later than 30 days after the due date	Goal Met; annual report for reporting year 2 was posted on the stormwater website within 30 days of the due date.

1	Conduct annual review of SWMP and perform any necessary updates	Goal Met; SWMP review conducted on 9/13/2021.
1	Conduct at least 1 public meeting per permit term	Not Due Yet
1	Maintain stormwater hotline number on the permittee's stormwater quality webpage annually	Goal Met; the stormwater hotline number was maintained on the stormwater quality website <a href="http://www.txms4.com/lakeside">www.txms4.com/lakeside</a> .
1	Comply with TCEQ public notice requirements for the TXR040000 permit renewal process	Not Due Yet
1	Maintain and make available annually a stormwater quality webpage	Goal Met; a stormwater quality website was hosted at <a href="http://www.txms4.com/lakeside">www.txms4.com/lakeside</a> .
1	Maintain collection of education materials on the stormwater quality webpage annually for local community organizations to view	Goal Met; a collection of educational materials is kept on the stormwater quality website and available for local community organization to view at <a href="http://www.txms4.com/lakeside">www.txms4.com/lakeside</a> .
2	Conduct at least 1 map review per permit term	Not Due Yet
2	Screen 20% of the outfalls within the urbanized area annually	Goal Met; 12 outfalls out of 57 were inspected (21%).
2	Maintain ordinances and standard operating procedures in effect annually	Goal Met; zero illicit discharges were identified during the reporting period, however ordinances and standard operating procedures are in place for reporting/eliminating illicit discharges.

2	Conduct training for at least 80% of the MS4 field staff employees once per permit term	Not Due Yet
2	Maintain IDDE standard operating procedures in effect annually	Goal Met; IDDE procedures have been developed and are currently being implemented.
2	Maintain stormwater hotline number on the webpage annually to help facilitate public reporting of stormwater quality issues	Goal Met; stormwater hotline number was maintained on the website at <a href="http://www.txms4.com/lakeside">www.txms4.com/lakeside</a> .
3	Review 100% construction plans annually that will result in the disturbances of greater than or equal to one acre, or are part of a common plan of development or sale that will result in the disturbance of one or more acres for compliance with local regulations	Goal Met; 0 applicable construction plans were submitted to the permittee for review during the reporting period.
3	Maintain standard operating procedures in effect annually	Goal Met; standard operating procedures have been developed and are currently being implemented.
3	Inspect 50% of applicable construction sites per year, or a minimum of 5 inspections	Goal Met; the permittee had 0 applicable construction sites during the reporting period.
3	Maintain ordinances and standard operating procedures in effect annually	Goal Met; ordinances and standard operating procedures have been developed and are currently being implemented.

3	Maintain stormwater hotline number on the webpage annually to help facilitate public reporting of stormwater quality issues	Goal Met; stormwater hotline number was maintained on the website at <a href="http://www.txms4.com/lakeside">www.txms4.com/lakeside</a> .
3	Conduct training for at least 80% of the MS4 field staff employees once per permit term	Goal Met; employee training was conducted for 100% of the applicable employees on 12/10/2021.
4	Review development plans for the inclusion of post construction controls annually	Goal Met; 0 development plans were submitted for review within the urbanized area.
4	Maintain ordinances and standard operating procedures in effect annually	Goal Met; ordinances and standard operating procedures have been developed and are currently being implemented.
4	Inspect 100% of permittee owned permanent structural controls at least once per permit term	Goal Met; the permittee owns/operates zero permanent structural controls.
4	Maintain standard operating procedures in effect annually	Goal Met; standard operating procedures have been developed and are currently being implemented.
5	Maintain an inventory of facilities and stormwater controls that the permittee owns and operates within the urbanized area annually	Goal Met; MS4 facility inventory has been developed
5	Conduct training for at least 80% of the MS4 field staff employees once per permit term	Goal Met; employee training was conducted 100% of the applicable employees on 12/10/2021.

5	Maintain standard operating procedures in effect annually for the proper disposal of waste; including dredge spoil, accumulated sediments, and floatables	Goal Met; standard operating procedures have been developed and are currently being implemented.
5	Require 100% of contractors performing maintenance activities on behalf of the permittee to comply with the SWMP standard operating procedures annually	Goal Met; 100% of the applicable contractors signed the acknowledgment agreement for the oversight procedures. (1 agreement executed during the reporting period)
5	Maintain general pollution prevention plan in effect annually for municipal operations	Goal Met; general pollution prevention plan has been developed and is currently being implemented.
5	Inspect each permittee owned facility identified in the MS4 facility inventory at least once per permit term	Goal Met; 100% of the applicable permittee owned facilities have been inspected during the current permit term. (5 total facilities)
5	Conduct routine litter/garbage collection at least once per week	Goal Exceeded; collection events were conducted twice a week for a total of 103 events during the reporting period. 1,480.51 tons of litter/garbage were collected during the reporting period.
5	Maintain standard operating procedures in effect annually for inspecting/maintaining structural controls at municipal facilities and for employee training	Goal Met; standard operating procedures have been developed and are currently being implemented.

## C. Stormwater Data Summary

Provide a summary of all information used, including any lab results (if sampling was conducted) to assess the success of the SWMP at reducing the discharge of pollutants to the MEP. For example, did the MS4 conduct visual inspections, clean the inlets, look for illicit discharge, clean streets, look for flow during dry weather, etc.?

**During the reporting period, the permittee conducted multiple activities to help reduce the discharge of pollutants to the MEP, including but not limited to: outfall inspections, public education, and litter/garbage collection. As a result, the permittee inspected 21% of their MS4 to look for flows during dry weather and conducted 103 litter/garbage collection events, which resulted in the collection of 1,480.51 tons of litter/garbage (data for all BMPs implemented during the reporting period to reduce the discharge of pollutants to the MEP is included in Section B.3 of this annual report). After review, the permittee has maintained 100% compliance with the measurable goals and implementation schedule established in their SWMP and believes that the program has been successful at reducing the discharge of pollutants to the MEP.**

## D. Impaired Waterbodies

1. Identify whether an impaired water within the permitted area was added to the latest EPA-approved 303(d) list or the Texas Integrated Report of Surface Water Quality for CWA Sections 305(b) and 303(d). List any newly-identified impaired waters below by including the name of the water body and the cause of impairment.

**No impaired water bodies were added during the reporting period.**

2. If applicable, explain below any activities taken to address the discharge to impaired waterbodies, including any sampling results and a summary of the small MS4's BMPs used to address the pollutant of concern.

**The permittee has conducted an assessment of the applicable stream segments and identified that an impaired water body (Lake Worth Segment ID 0807) receives MS4 discharges from their urbanized area. Our research indicates that the pollutant of PCBs in edible tissue is a legacy pollutant and is directly related to industrial discharges. Therefore, the permittee is not considered a potential source and no additional BMPs have been developed to target this pollutant.**

3. Describe the implementation of targeted controls if the small MS4 discharges to an impaired water body with an approved TMDL.

**The permittee has conducted an assessment of the applicable stream segments and identified that an impaired water body with a TMDL (Lake Worth Segment ID 0807) receives MS4 discharges from their urbanized area. Our research indicates that the pollutant of PCBs in edible tissue is a legacy pollutant and is directly related to industrial discharges. Therefore, the permittee is not considered a potential source and no additional targeted controls have been developed to for this pollutant.**

4. Report the benchmark identified by the MS4 and assessment activities:

<b>Benchmark Parameter (Ex: Total Suspended Solids)</b>	<b>Benchmark Value</b>	<b>Description of additional sampling or other assessment activities</b>	<b>Year(s) conducted</b>
<b><u>N/A</u></b>	<b><u>N/A</u></b>	<b><u>N/A</u></b>	<b><u>N/A</u></b>

5. Provide an analysis of how the selected BMPs will be effective in contributing to achieving the benchmark: **N/A; only applies to water bodies with an approved TMDL**

Benchmark Parameter	Selected BMP	Contribution to achieving Benchmark
<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

6. If applicable, report on focused BMPs to address impairment for bacteria:

Description of bacteria-focused BMP	Comments/Discussion
<u>N/A</u>	<u>N/A</u>

7. Assess the progress to determine BMP's effectiveness in achieving the benchmark.

**N/A; only applies to water bodies with an approved TMDL.**

Benchmark Indicator	Description/Comments
<u>N/A</u>	<u>N/A</u>



## E. Stormwater Activities

Describe activities planned for the next reporting year:

<b>MCM(s)</b>	<b>BMP</b>	<b>Stormwater Activity</b>	<b>Description/Comments</b>
1	Public Education Material	Develop or post on the stormwater webpage at least 1 type of material per year	Development of public education material for the purpose of educating the public on stormwater impacts and ways they can minimize stormwater pollution.
1	Education of Construction Site Personnel	Number of educational materials or guidance documents posted on the stormwater webpage	Make guidance materials available for construction site personnel on the proper installation and maintenance of erosion and sediment controls.
1	SWMP Posting	Post a copy of the SWMP on the City's stormwater website no later than 30 days after the TCEQ approval date	Post a copy of the SWMP on the City's stormwater quality website for the public to review.
1	Annual Report Posting	Annually post a copy of the most recent annual report on the stormwater website no later than 30 days after the due date	Post a copy of each year's annual report on the City's stormwater quality website for the public to review.
1	SWMP Review	Conduct annual review of SWMP and perform any necessary updates	Conduct an annual review of the City's stormwater management program and perform any necessary updates.
1	Stormwater Hotline	Maintain stormwater hotline number on the permittee's stormwater quality webpage annually	Advertise appropriate phone numbers for citizens to participate in the implementation of control measures by reporting illicit discharges, illegal dumping, spills, and construction site discharge issues.

1	SWMP Public Notice	Comply with TCEQ public notice requirements for the TXR040000 permit renewal process	The permittee will adhere to all state and local public notice requirements during the TXR040000 permit renewal process.
1	Stormwater Quality Webpage	Maintain and make available annually a stormwater quality webpage	Develop and maintain a stormwater quality webpage to ensure that the public can easily find information about the SWMP and inform citizens about steps they can take to improve water quality.
1	Educational Material Distribution	Maintain at least 1 stormwater quality material annually for use by local community organizations	Provide local community organizations with the opportunity to assist in the distribution of stormwater quality educational materials by providing them with materials for distribution at their meetings, when requested.
2	MS4 Outfall Inspections	Screen 20% of the outfalls within the urbanized area annually	Conduct inspections of all outfalls in the urbanized area (once per permit term) in order to identify and reduce the presence of illicit discharges to the MS4.
2	Regulatory Mechanisms	Maintain ordinances and standard operating procedures in effect annually	Enforce local illicit discharge regulations prohibiting illicit non-storm water discharges from being discharged into the City's MS4. Within two years from the permit effective date, the City will review and revise, if needed, its existing regulatory mechanisms to comply with the current permit requirements.
2	IDDE Procedures	Maintain IDDE standard operating procedures in effect annually	Maintain procedures and all associated records for tracing/removing the source of an illicit discharge, responding to illicit discharges/spills, and inspections in response to complaints.

2	Public Reporting	Maintain stormwater hotline number on the webpage annually to help facilitate public reporting of stormwater quality issues	Provide stormwater hotline number on webpage to facilitate public reporting of illicit discharges.
3	Construction Site Plan Review	Review 100% construction plans annually that will result in the disturbances of greater than or equal to one acre, or are part of a common plan of development or sale that will result in the disturbance of one or more acres for compliance with local regulations	Implement a construction site plan review program that focuses on compliance with the local construction regulations and water quality impacts. Plans must meet the requirements established in Part III.B.3(b)(2) subsections a. through c. of TPDES General Permit TXR040000.
3	Plan Review, Inspection, and Enforcement Procedures	Maintain standard operating procedures in effect annually	Maintain and implement site plan review, inspection, and enforcement procedures that describe which plans will be reviewed, when operators may begin construction, soil stabilization requirements, and how inspection/enforcement actions will be conducted.
3	Construction Site Inspection/Enforcement	Inspect 50% of applicable construction sites per year, or a minimum of 5 inspections	Conduct inspections of construction sites and associated control measures and enforce local regulatory mechanisms to the MEP.

3	Regulatory Mechanisms	Maintain ordinances and standard operating procedures in effect annually	Enforce local regulations to address stormwater runoff from construction sites which disturb one acre or more or are part of a common plan of development that disturb greater than or equal to one acre. Within two years from the permit effective date, the City will review and revise, if needed, its existing regulatory mechanisms to comply with the current permit requirements.
3	Public Reporting	Maintain stormwater hotline number on the webpage annually to help facilitate public reporting of stormwater quality issues	Maintain and implement procedures for receipt and consideration of information submitted by the public regarding construction site stormwater runoff.
4	Development Project Plan Review	Review development plans for the inclusion of post construction controls annually	Review development plans to ensure compliance with local post construction runoff guidelines and inclusion of appropriate permanent stormwater quality controls.
4	Regulatory Mechanisms	Maintain ordinances and standard operating procedures in effect annually	Enforce local post construction stormwater management regulations to address discharges from new development and redevelopment projects which disturb one acre or more or are part of a common plan of development that disturb greater than or equal to one acre. Within two years from the permit effective date, the City will review and revise, if needed, its existing regulatory mechanisms to comply with the current permit requirements.

4	Post Construction Procedures	Maintain standard operating procedures in effect annually	Develop and maintain standard operating procedures to document records of enforcement actions and procedures for ensuring long-term operation/maintenance of post construction stormwater control measures.
5	MS4 Facility Inventory	Maintain an inventory of facilities and stormwater controls that the permittee owns and operates within the urbanized area annually	Maintain an inventory of applicable facilities and stormwater controls pursuant to the requirements established in Part III, Section B.5(b)(1) of TPDES General Permit TXR040000, that the permittee owns and operates within the urbanized area.
5	Waste Disposal Procedures	Maintain standard operating procedures in effect annually for the proper disposal of waste; including dredge spoil, accumulated sediments, and floatables	Maintain standard operating procedures for the appropriate disposal of waste materials from maintenance activities such as floatable collections, dredge spoils, and/or accumulated sediments.
5	Contractor Oversight Procedures	Require 100% of contractors performing maintenance activities on behalf of the permittee to comply with the SWMP standard operating procedures annually	Maintain procedures that contractually require contractors hired by the permittee to perform maintenance activities on permittee-owned facilities to comply with all stormwater control measures, good housekeeping practices, and facility specific stormwater management operating procedures.

5	Operation and Maintenance Activities	Maintain general pollution prevention plan in effect annually for municipal operations	Maintain and implement general pollution prevention plans that identify potential pollutants of concern and address stormwater discharges from permittee operation and maintenance activities, including road and parking lot maintenance, bridge maintenance, cold weather operations, and right-of-way maintenance.
5	Litter/garbage Collection	Conduct routine litter/garbage collection at least once per week	Conduct garbage and/or collection to reduce floatable material discharges to the MS4.
5	Municipal Operation Procedures	Maintain standard operating procedures in effect annually for inspecting/maintaining structural controls at municipal facilities and for employee training	Maintain standard operating procedures for inspecting/maintaining structural controls at municipal facilities and for conducting employee training for staff members involved in implementing pollution prevention/good housekeeping practices.

## F. SWMP Modifications

1. The SWMP and MCM implementation procedures are reviewed each year.

Yes  No

2. Changes have been made or are proposed to the SWMP since the NOI or the last annual report, including changes in response to TCEQ's review.

Yes  No

If "Yes," report on changes made to measurable goals and BMPs: N/A

MCM(s)	Measurable Goal(s) or BMP(s)	Implemented or Proposed Changes (Submit NOC as needed)
<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

**Note:** If changes include additions or substitutions of BMPs, include a written analysis explaining why the original BMP is ineffective or not feasible, and why the replacement BMP is expected to achieve the goals of the original BMP.

3. Explain additional changes or proposed changes not previously mentioned (i.e. dates, contacts, procedures, annexation of land, etc.). N/A

## G. Additional BMPs for TMDLs and I-Plans

Provide a description and schedule for implementation of additional BMPs that may be necessary, based on monitoring results, to ensure compliance with applicable TMDLs and implementation plans. N/A

BMP	Description	Implementation Schedule (start date, etc.)	Status/Completion Date (completed, in progress, not started)
<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

## H. Additional Information

1. Is the permittee relying on another entity to satisfy any permit obligations?

Yes  No

If "Yes," provide the name(s) of other entities and an explanation of their responsibilities (add more spaces or pages if needed)

2.a. Is the permittee part of a group sharing a SWMP with other entities?

Yes  No

2.b. If "yes," is this a system-wide annual report including information for all permittees? **N/A**

Yes  No



## I. Construction Activities

1. The number of construction activities that occurred in the jurisdictional area of the MS4 (Large and Small Site Notices submitted by construction site operators):

  0  

2a. Does the permittee utilize the optional seventh MCM related to construction?

Yes  No

2b. If "yes," then provide the following information for this permit year:

<b>The number of municipal construction activities authorized under this general permit</b>	
The total number of acres disturbed for municipal construction projects	<b>N/A</b>

**Note:** Though the seventh MCM is optional, implementation must be requested on the NOI or on a NOC and approved by the TCEQ.

## J. Certification – Town of Lakeside

If this is this a system-wide annual report including information for all permittees, each permittee shall sign and certify the annual report in accordance with 30 TAC §305.128 (relating to Signatories to Reports).

*I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

Name (printed): James McDonald Title: Public Works Director

Signature:  Date: 03/08/2022

Name of MS4: **Town of Lakeside**